


Measure primary implant stability and osseointegration with Penguin<sup>RFA</sup>.



Penguin<sup>RFA</sup>

## 20 Years of History: RFA Technique


More than 20 years ago, Resonancy Frequency Analysis (RFA) and ISQ (Implant Stability Quotient) were introduced to implant dentistry. RFA is a method used to determine implant stability in dental implants which can help reduce patient treatment time and manage risky patients.

When the MultiTipeg™ is attached to an implant, the MultiTipeg™ vibrates.




### MultiTipeg™

Available for many different implant systems. For a complete list, call **Implant Solutions at 1.800.995.0626**




The frequency of the vibration is picked up by the Penguin<sup>RFA</sup> instrument and translated into an Implant Stability Quotient (ISQ) scale value between 1 and 99. The higher the ISQ value, the better the stability.



A summary of over 500 publications. For more information, contact Implant Solutions at 1.800.995.0626.


# Get started today.

To begin, you will need the Penguin<sup>RFA</sup> Instrument kit and MultiTegs.



**MultiTeg™**

- Reusable
- Autoclavable
- Calibrated
- Available for many different implant systems. For a complete list, call Implant Solutions.



**MultiTeg™ Driver**

- Reusable
- Autoclavable
- Stainless steel

*If you are working under sterile conditions you will also need sterile covers.*



**Penguin<sup>RFA</sup> Instrument**




More than 700 articles on the Resonance Frequency Analysis (RFA) technique have been published in scientific journals since 1996. For more information, contact Implant Solutions at 1.800.995.0626.

- Handheld
- Rechargeable
- Accurate



Give us a call at  
**1.800.995.0626**



1000 Corporate Drive  
P.O. Box 770  
Marshfield, WI  
[www.solutionsforimplants.com](http://www.solutionsforimplants.com)  
1.800.995.0626